Author Index

Allard, M. J., *see* Valley, J. W.
Aranovich, L. Ya., *see* Perchuk, L. L.
Ashworth, J. R. & Evirgen, M. M. Plagioclase relations in pelites, central Menderes Massif, Turkey. 1. The peristerite gap with coexisting kyanite, 207.
Ashworth, J. R. & Evirgen, M. M. Plagioclase relations in pelites, central Menderes Massif, Turkey. 2. Perturbation of garnet-plagioclase geobarometers, 219.
Audren, C., *see* Triboulet, C.

Bell, T. H. Deformation partitioning and porphyroblast rotation in metamorphic rocks: a radical reinterpretation, 109.
Bell, T. H. & Brothers, R. N. Development of *P–T* prograde and *P*-retrograde, *T*-prograde isograde surfaces during blueschist to eclogite regional deformation/metamorphism in New Caledonia, as indicated by progressively developed porphyroblast microstructures, 59.
Berdrikov, N. V., *see* Perchuk, L. L.
Boland, J. N. & Otten, M. T. Symplectic augite: evidence for discontinuous precipitation as an exsolution mechanism in Ca-rich clinopyroxene, 13.
Bowman, J. R., *see* Valley, J. W.
Brothers, R. N., *see* Bell, T. H.

Cliff, R. A., Droop, G. T. R. & Rex, D. C. Alpine metamorphism in the south-east Tauern Window, Austria: 2. Rates of heating, cooling and uplift, 403.

Droop, G. T. R. Alpine metamorphism in the south-east Tauern Window, Austria: 1. *P–T* variations in space and time, 371.
Droop, G. T. R., *see* Cliff, R. A.

Emmett, T. F. The trace element geochemistry of some high-grade Bergen-Jotun kindred gneisses from the Jotun Nappe around Gjendebu, central southern Norway, 119.
Essene, E. J., *see* Valley, J. W.
Evirgen, M. M., *see* Ashworth, J. R.

Fed'kin, V. V., *see* Perchuk, L. L.

Gerasimov, V. Yu., *see* Perchuk, L. L.
Gupta, L. N. & Johannes, W. Effect of metamorphism and partial melting of host rocks on zircons, 311.

Harley, S. L. Paragenetic and mineral-chemical relationships in orthoamphibole-bearing gneisses from Enderby Land, east Antarctica: a record of Proterozoic uplift, 179.
Holland, T. J. B. *see* Powell, R.
Holland, T. J. B. & Powell, R. An internally consistent thermodynamic dataset with uncertainties and correlations: 2. Data and results, 343.
Holland, T. J. B. & Ray, N. J. Glaucophane and pyroxene breakdown reactions in the Pennine units of the Eastern Alps, 417.

Johannes, W., *see* Gupta, L. N.

Karsakov, L. P., *see* Perchuk, L. L.
Kitsul, V. I., *see* Perchuk, L. L.

Lindh, A. & Wahlgren, C.-H. Migmatite formation at subsolidus conditions—an alternative to anatexis, 1.
Lavrant'eva, I. V., *see* Perchuk, L. L.

Meneilly, A. W., *see* Storey, B. C.
Mørk, M. B. E. Incomplete high *P–T* metamorphic transitions within the Kvamsøy pyroxenite complex, west Norway: a case study of disequilibrium, 245.

Otten, M. T., *see* Boland, J. N.

Paquet, J. Petrology and geothermometry of retrograded Hercynian charnockites and host gneisses, Agly Massif, French Pyrenees, 43.
Peacor, D. R., *see* Valley, J. W.
Perchuk, L. L., Aranovich, L. Ya., Podlesskii, K. K., Lavrant'eva, I. V., Gerasimov, V. Yu., Fed'kin, V. V., Kitsul, V. I., Karsakov, L. P. & Berdriekov, N. V. Precambrian granulites of the Aldan shield, eastern Siberia, USSR, 265.
Podlesskii, K. K., *see* Perchuk, L. L.
Powell, R. Regression diagnostics and robust regression in geothermometer/geobarometer calibration: the garnet-clinopyroxene geothermometer revisited, 231.
Powell, R. & Holland, T. J. B. An internally consistent thermodynamic dataset with uncertainties and correlations: 1. Methods and a worked example, 327.
Powell, R. *see* Holland, T. J. B.

von Raumer, J. F. & Schwander, H. W. Garnet evolution in pre-Variscan pelitic rocks from the Lake Emosson area, Aiguilles Rouges Massif, Western Alps, 467.
Ray, N. J. *see* Holland T. J. B.
Rex, D. C. *see* Cliff, R. A.

Sandiford, M. The metamorphic evolution of granulites at Fyfe Hills; implications for Archaean crustal thickness in Enderby Land, Antarctica, 155.
Schwander, H. W., *see* von Raumer, J. F.
Selverstone, J. & Spear, F. S. Metamorphic *P–T* paths from pelitic schists and greenstones from the southwest Tauern Window, Eastern Alps, 439.
Shaw, R. D., *see* Warren, R. G.
Spear, F. S. *see* Selverstone, J.
Storey, B. C. & Meneilly, A. W. Petrogenesis of metamorphic rocks within a subduction-accretion terrane, Signy Island, South Orkney Islands, 21.
Studemeister, P. A. The greenschist metamorphism of Archaean synvolcanic stocks near Wawa, Ontario, Canada, 79.

Triboulet, C. & Audren, C. Continuous reactions between biotite, garnet, staurolite, kyanite-sillimanite-andalusite and *P–T*–time-deformation path in micaschists from the estuary of the river Vilaine, South Brittany, France, 91.

Author Index

Allard, M. J., *see* Valley, J. W.
Aranovich, L. Ya., *see* Perchuk, L. L.
Ashworth, J. R. & Evirgen, M. M. Plagioclase relations in pelites, central Menderes Massif, Turkey. 1. The peristerite gap with coexisting kyanite, 207.
Ashworth, J. R. & Evirgen, M. M. Plagioclase relations in pelites, central Menderes Massif, Turkey. 2. Perturbation of garnet-plagioclase geobarometers, 219.
Audren, C., *see* Triboulet, C.

Bell, T. H. Deformation partitioning and porphyroblast rotation in metamorphic rocks: a radical reinterpretation, 109.
Bell, T. H. & Brothers, R. N. Development of *P–T* prograde and *P*-retrograde, *T*-prograde isograde surfaces during blueschist to eclogite regional deformation/metamorphism in New Caledonia, as indicated by progressively developed porphyroblast microstructures, 59.
Berdrikov, N. V., *see* Perchuk, L. L.
Boland, J. N. & Otten, M. T. Symplectic augite: evidence for discontinuous precipitation as an exsolution mechanism in Ca-rich clinopyroxene, 13.
Bowman, J. R., *see* Valley, J. W.
Brothers, R. N., *see* Bell, T. H.

Cliff, R. A., Droop, G. T. R. & Rex, D. C. Alpine metamorphism in the south-east Tauern Window, Austria: 2. Rates of heating, cooling and uplift, 403.

Droop, G. T. R. Alpine metamorphism in the south-east Tauern Window, Austria: 1. *P–T* variations in space and time, 371.
Droop, G. T. R., *see* Cliff, R. A.

Emmett, T. F. The trace element geochemistry of some high-grade Bergen-Jotun kindred gneisses from the Jotun Nappe around Gjendebu, central southern Norway, 119.
Essene, E. J., *see* Valley, J. W.
Evirgen, M. M., *see* Ashworth, J. R.

Fed'kin, V. V., *see* Perchuk, L. L.

Gerasimov, V. Yu., *see* Perchuk, L. L.
Gupta, L. N. & Johannes, W. Effect of metamorphism and partial melting of host rocks on zircons, 311.

Harley, S. L. Paragenetic and mineral-chemical relationships in orthoamphibole-bearing gneisses from Enderby Land, east Antarctica: a record of Proterozoic uplift, 179.
Holland, T. J. B. *see* Powell, R.
Holland, T. J. B. & Powell, R. An internally consistent thermodynamic dataset with uncertainties and correlations: 2. Data and results, 343.
Holland, T. J. B. & Ray, N. J. Glaucophane and pyroxene breakdown reactions in the Pennine units of the Eastern Alps, 417.

Johannes, W., *see* Gupta, L. N.

Karsakov, L. P., *see* Perchuk, L. L.
Kitsul, V. I., *see* Perchuk, L. L.

Lindh, A. & Wahlgren, C.-H. Migmatite formation at subsolidus conditions—an alternative to anatexis, 1.
Lavrant'eva, I. V., *see* Perchuk, L. L.

Meneilly, A. W., *see* Storey, B. C.
Mørk, M. B. E. Incomplete high *P–T* metamorphic transitions within the Kvamsøy pyroxenite complex, west Norway: a case study of disequilibrium, 245.

Otten, M. T., *see* Boland, J. N.

Paquet, J. Petrology and geothermometry of retrograded Hercynian charnockites and host gneisses, Agly Massif, French Pyrenees, 43.
Peacor, D. R., *see* Valley, J. W.
Perchuk, L. L., Aranovich, L. Ya., Podlesskii, K. K., Lavrant'eva, I. V., Gerasimov, V. Yu., Fed'kin, V. V., Kitsul, V. I., Karsakov, L. P. & Berdriekov, N. V. Precambrian granulites of the Aldan shield, eastern Siberia, USSR, 265.
Podlesskii, K. K., *see* Perchuk, L. L.
Powell, R. Regression diagnostics and robust regression in geothermometer/geobarometer calibration: the garnet-clinopyroxene geothermometer revisited, 231.
Powell, R. & Holland, T. J. B. An internally consistent thermodynamic dataset with uncertainties and correlations: 1. Methods and a worked example, 327.
Powell, R. *see* Holland, T. J. B.

von Raumer, J. F. & Schwander, H. W. Garnet evolution in pre-Variscan pelitic rocks from the Lake Emosson area, Aiguilles Rouges Massif, Western Alps, 467.
Ray, N. J. *see* Holland T. J. B.
Rex, D. C. *see* Cliff, R. A.

Sandiford, M. The metamorphic evolution of granulites at Fyfe Hills; implications for Archaean crustal thickness in Enderby Land, Antarctica, 155.
Schwander, H. W., *see* von Raumer, J. F.
Selverstone, J. & Spear, F. S. Metamorphic *P–T* paths from pelitic schists and greenstones from the southwest Tauern Window, Eastern Alps, 439.
Shaw, R. D., *see* Warren, R. G.
Spear, F. S. *see* Selverstone, J.
Storey, B. C. & Meneilly, A. W. Petrogenesis of metamorphic rocks within a subduction-accretion terrane, Signy Island, South Orkney Islands, 21.
Studemeister, P. A. The greenschist metamorphism of Archaean synvolcanic stocks near Wawa, Ontario, Canada, 79.

Triboulet, C. & Audren, C. Continuous reactions between biotite, garnet, staurolite, kyanite-sillimanite-andalusite and *P–T*–time-deformation path in micaschists from the estuary of the river Vilaine, South Brittany, France, 91.

Valley, J. W., Peacor, D. R., Bowman, J. R., Essene, E. J. & Allard, M. J. Crystal chemistry of a Mg-vesuvianite and implications of phase equilibria in the system $CaO—MgO—Al_2O_3—SiO_2—H_2O—CO_2$. 137.

Wahlgren, C.-H., *see* Lindh, A.

Warren, R. G. & Shaw, R. D. Volcanogenic Cu-Pb-Zn bodies in granultes of the central Arunta Block, Central Australia, 481.

Subject Index

Agly Massif, 43
Aldan shield, 265
Alpine metamorphism, 371
Alps, 403
aluminous micaschists, 91
amphibolite, 21
Antarctica, 155, 179
Archaean, 155, 265
Arunta Block, Australia, 481
augite, 13

biotite-garnet equilibration, 43
blueschists, 59

charnockite, 43
chemistry, 467
corona, 245
crossite, 417
crustal thickness, 155

deformation history, 109
deformation partitioning, 109
diffusion, 1
discontinuous divarient equilibria, 91
disequilibrium, 245

eclogites, 59
error propagation techniques, 343
exsolution, 13

fluid inclusions, 439

garnet, 207, 219, 467
garnet-clinopyroxene, 231
garnet zoning, 439
geobarometry, 219, 265, 343
geochemistry, 21, 79
geochronology, 403
geothermobarometry, 21, 91, 231, 155, 371, 439
geothermometry, 43, 207, 343
granulites, 199, 265, 481
granulite facies, 155
greenschist facies, 79

Hercynian *P–T–t* path, 467
high *P–T* metamorphism, 245

inclusion trails, 109
isograd ic surfaces, 59

jackknifing, 231
jadeitic pyroxene, 417

K-Rb covariation, 119
kyanite, 207
Kvamsøy, west Norway, 245

lawsonite, 59
least squares method, 327, 343

Menderes Massif, 207, 219
metamorphic reactions, 265
metamorphism, 155, 179
metasomatism, 79, 119
microstructures, 59
migmatite, 311

New Caledonia, 59, 91
Norway, 119

oceanic intraplate basalt, 21
omphacite, 59
orgogenic processes, 91
orthoamphibole, 179
orthopyroxene alteration, 43

partial melting, 311
pelite, 467
peristerite gap, 207
petrogenetic grid, 137
plagioclase, 219
plagioclase breakdown, 245
porphyroblast rotation, 109
precipitation, 13
pressure–temperature paths, 179, 371, 439
Proterozoic, 179
pseudomorphism, 79
pseudomorph phase equilibria, 439
P–T path, 179, 371, 439
P–T–t path, 91
Pyrenees, 43

reaction kinetics, 417
reaction mechanisms, 417
reaction textures, 417
reactivation of old foliations, 109
regression diagnostics, 231
retrograde stage, 265
robust regression, 231

sapphirine, 481
Scotia metamorphic complex, 21
segregation, 1
South Brittany, 91
stress-gradient, 1
stromatic migmatite, 1
symplectite, 13
Swedish Caledonides 13
Swiss Alps, 467

Tauern Window, 371, 403, 417, 439
textures, 245
thermal history, 403
thermobarometry, 21, 91, 155, 231, 371, 439
thermodynamic dataset, 327, 343
trace elements, 119
Turkey, 207, 219

uplift, 179
uplift rates, 403

water content, 1
Wawa greenstone belt, Ontario, Canada, 79
whole rock geochemistry, 119

vesuvianite, 137
volcanogenic ore deposits, 481

zircon, 311